

**Drug Facts****Active ingredients (in each tablet)**

Acetaminophen, 250 mg	Analgesic (pain reliever)
Caffeine Anhydrous, 32.5 mg	Pain Reliever Aid
Magnesium Salicylate Tetrahydrate (NSAID)*, 310 mg (equivalent to 250 mg Magnesium Salicylate)	Analgesic (pain reliever)

**Purpose**

\*Non-steroidal anti-inflammatory drug

**Uses** For the temporary relief of minor aches and pains including the minor pain of arthritis.**Warnings****Reye's Syndrome:** Children and teenagers should not use this product for chicken pox or flu symptoms before a doctor is consulted about Reye's Syndrome, a rare but serious illness reported to be associated with aspirin.**Allergy alert:** Magnesium salicylate may cause a severe allergic reaction which may include:  
 hives  facial swelling  asthma (wheezing)  shock.**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  more than 8 pills in 24 hours  with other drugs containing acetaminophen  3 or more alcoholic drinks every day while using this product.**Stomach bleeding warning:** This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if you  are age 60 or older  have had stomach ulcers or bleeding problems  take a blood thinning (anticoagulant) or steroid drug  take other drugs containing an NSAID [aspirin, ibuprofen, naproxen or others]  have 3 or more alcoholic drinks every day while using this product  take more or for a longer time than directed.**Do not use** if you have ever had an allergic reaction to any other pain reliever/fever reducer  with any other drug containing acetaminophen (prescription or non-prescription). Ask a doctor or pharmacist before use if you are not sure.**Ask a doctor before use if you have**  stomach problems that last or come back, such as heartburn, upset stomach, or stomach pain  ulcers  bleeding problems  high blood pressure  heart or kidney disease  taken a diuretic  reached age 60 or older**Ask a doctor or pharmacist before use if you are**  taking any other drug containing a NSAID (prescription or non-prescription)  taking a blood thinning (anti-coagulant) or steroid drug  taking a prescription drug for diabetes, gout or arthritis  taking any other drug**Stop use and ask a doctor if**  an allergic reaction occurs. Seek medical help right away  you feel faint, vomit blood, or have bloody or black stools. These are signs of stomach bleeding  pain gets worse or lasts more than 10 days  fever gets worse or lasts more than 3 days  stomach pain or upset gets worse or lasts  redness or swelling is present  ringing in the ears or loss of hearing occurs  any new symptoms appear.**If pregnant or breast-feeding,** ask a health professional before use.**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.**Directions** Read all package directions and warnings before use and use only as directed.  Adults: Two (2) tablets every 6 hours while symptoms persist, not to exceed 4 doses (8 tablets) in 24 hours, or as directed by a doctor.  Drink a full glass of water with each dose  Intended for use by normally healthy adults only  Persons under 18 years of age should use only as directed by a doctor.**Other information** Magnesium content: 30 mg/tablet \*\*CONTENTS SEALED: ARTHRITEN Joint Pain Relief white colored, oval (football) shaped tablets bear the identifying mark "ALVA" and a "1" on the reverse side, and are packaged in a bottle with a safety seal under the cap. Do not use if the seal appears broken or if product doesn't match product description.**Inactive ingredients** Calcium carbonate, croscarmellose sodium, hypromellose, magnesium carbonate, magnesium oxide, magnesium stearate, microcrystalline cellulose, mineral oil, povidone, silicon dioxide, sodium lauryl sulfate, sodium starch glycolate, starch, stearic acid, talc, titanium dioxide, triacetin.**Questions? 1-800-792-2582**