

Nauzene[®]

Liquid

Wild
Cherry
Flavor

Drug Facts

Active ingredients Purpose (in each 15-mL tablespoon)

Dextrose (Glucose) 4.35 gAnti-nausea
Levulose (Fructose) 4.17 gAnti-nausea
Sodium citrate dihydrate,
0.921 gAntacid

Uses For the relief of nausea associated with upset stomach due to overindulgence in food or drink.

Warnings

Do not use if you have Hereditary Fructose Intolerance (HFI). This product contains fructose.

Ask a doctor before use if you have

■ diabetes because this product contains sugar ■ a sodium-restricted diet.

Ask a doctor or pharmacist before use if you are taking any other medications.

Antacids may interact with certain prescription drugs.

When using this product do not take more than 6 doses in a 24-hour period.

Stop use and ask a doctor if nausea lasts more than two weeks or recurs frequently.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Read all package directions and warnings before use and use only as

Drug Facts (continued)

Directions (continued)

directed. ■ Adults: 1 - 2 tablespoons (15 - 30 mL). ■ Children: Consult a doctor for appropriate dosage. ■ Dosage may be repeated after 30 minutes not to exceed 6 doses in a 24-hour period unless advised by a doctor. ■ For maximum effectiveness never dilute Nauzene or drink fluids of any kind immediately before or after taking Nauzene. ■ Nauzene Liquid is intended for use by normally healthy persons only. ■ Persons under 18 years of age should use only as directed by a doctor.

Other Information: ■ Sodium content

193 mg/tablespoon (15 mL)

■ Store at room temperature

■ **Contents sealed: Each bottle of Nauzene Liquid has a tamper evident seal around the cap and a safety seal under the cap. Do not use if either of these seals appears broken. NOTE: Nauzene is not intended as a substitute for a balanced nutritional diet or as an electrolyte replenishment.

Inactive Ingredients Corn syrup, FD&C Red No. 40 lake, flavor, fructose syrup, glycerin, methylparaben, phosphoric acid, purified water.

*ALVA-AMCO trade name for sodium citrate dihydrate is **Electrolyte-S10[™]**.

KEEP TIGHTLY CLOSED WHEN NOT IN USE.
STORE AWAY FROM EXCESSIVE HEAT AND COLD.